

AMENDMENTS TO THE CLAIMS:

Claim 1 (currently amended): A retroreflective photoelectric sensor comprising:

- a light-emitting optical system having a light-emitting element that emits an expanding beam of light with a fixed gate angle, a first polarizer and a light-emitting lens arranged sequentially;
- a light-receiving optical system having a light-receiving lens, a second polarizer and a light-receiving element arranged sequentially; ~~and~~
- a first phase shifter inserted between said first polarizer and said light-emitting lens;
- and
- a second phase shifter inserted between said second polarizer and said light-receiving lens, said first phase shifter and said second phase shifter each serving to shift the phase by  $3/8-5/8$  with respect to the wavelength;

wherein said first polarizer and said second polarizer have mutually perpendicular polarizer axes.

Claims 2 and 3 (canceled):

Claim 4 (currently amended): The retroreflective photoelectric sensor of claim ~~[[2]]~~ 1 wherein said light-emitting lens and said light-receiving lens are integrally formed by molding a plastic material.

Claim 5 (withdrawn): A retroreflective photoelectric sensor comprising:

- a light-emitting optical system having a light-emitting element and a first polarizer and serving to transmit light from said light-emitting element through said first polarizer;
- a light-receiving optical system having a second polarizer and a light-receiving element and serving to convert light received through said second polarizer into an electrical signal by said light-receiving element;
- a single lens for both emitting light from said light-emitting element and receiving light to said light-receiving element therethrough;
- a beam splitter serving to direct light received from said light-emitting optical system

to said single lens and light received from said single lens to said light-receiving optical system; and

a phase shifter inserted between said first polarizer and said beam splitter;

wherein said first polarizer and said second polarizer have mutually perpendicular polarizer axes.

Claim 6 (withdrawn):           The retroreflective photoelectric sensor of claim 5 further comprising another phase shifter inserted between said second polarizer and said beam splitter.

Claim 7 (withdrawn):           The retroreflective photoelectric sensor of claim 6 wherein said phase shifter and said another phase shifter each serve to shift the phase by  $3/8$ - $5/8$  with respect to the wavelength.

Claim 8 (withdrawn):           A retroreflective photoelectric sensor comprising:  
a light-emitting optical system having a light-emitting element and a first polarizer and serving to transmit light from said light-emitting element through said first polarizer;  
a light-receiving optical system having a second polarizer and a light-receiving element and serving to convert light received through said second polarizer into an electrical signal by said light-receiving element;  
a single lens for both emitting light from said light-emitting element and receiving light to said light-receiving element therethrough;  
a beam splitter serving to direct light received from said light-emitting optical system to said single lens and light received from said single lens to said light-receiving optical system; and  
a phase shifter inserted between said beam splitter and said single lens;  
wherein said first polarizer and said second polarizer have mutually perpendicular polarizer axes.

Claim 9 (currently amended):       A retroreflective photoelectric sensor comprising:

a light-emitting optical system having a light-emitting element that emits an expanding beam of light with a fixed gate angle, a first polarizer and a light-emitting lens arranged sequentially;

a light-receiving optical system having a light-receiving lens, a second polarizer and a light-receiving element arranged sequentially, said first polarizer and said second polarizer having mutually perpendicular polarizer axes; and

means disposed between said first polarizer and said light-emitting lens for serving to shift the phase by  $3/8$ - $5/8$  with respect to the wavelength and canceling the total rotation of the polarization plane that is the sum of rotations caused by passing through said first polarizer and said light-emitting lens.

Claim 10 (withdrawn):        A retroreflective photoelectric sensor comprising:

a light-emitting optical system having a light-emitting element and a first polarizer and serving to transmit light from said light-emitting element through said first polarizer;

a light-receiving optical system having a second polarizer and a light-receiving element and serving to convert light received through said second polarizer into an electrical signal by said light-receiving element, said first polarizer and said second polarizer having mutually perpendicular polarizer axes;

a single lens for both emitting light from said light-emitting element and receiving light to said light-receiving element therethrough;

a beam splitter serving to direct light received from said light-emitting optical system to said single lens and light received from said single lens to said light-receiving optical system; and

means disposed between said first polarizer and said beam splitter for canceling the total rotation of the polarization plane that is the sum of rotations caused by passing through said first polarizer and said light-emitting lens.